West Bengal State Warehousing Corporation

(A Government Undertaking) KHADYASHREE BHAVAN (1ST. Floor) 11A, MIRZA GHALIB STREET, KOLKATA-700087.

e- mail :ce-swc@wb.gov.in/se.wbswc@gmail.com

Memo No. 280/Engg/SWC/2021-2022

13. Blank tender forms may be obtained

Dated:26.10.2021

NOTICE INVITING TENDER No. 29 of 2021-22of SE,WBSWC

Sealed Tenders in printed Tender Forms as specified below are invited as per particulars given below and will be received by the Executive Engineer, WBSWC, on the date and up to the time specified therein and shall be opened soon thereafter in presence of such tenderers who may choose to be present.

Name of the work As per enclosed list. Name & address of the Officer concerned As per enclosed list. Contractors eligible to submit tender As per enclosed list. Estimated value of the work put to tender As per enclosed list. Time of completion for the work As per enclosed list. Earnest money As per enclosed list. **Security Deposit** The successful tenderers will have to Keep security deposits as per rule. Printed W. B. Tender Form in which tender W.B. Form No.2911(ii) incl. up-to date Corrigenda & addenda thereof as per is to be submitted. Order of Govt. 9. Price per copy of the specified W.B. Tender As per enclosed list. 10. Price per copy of the set of other tender **Documents** As per enclosed list. 11. Last date & time limit of application forms 02.11.2021up to 2.00 P.M. 12. Last date &time limit for permission 03.11.2021up to 2.00 P.M.

> From this office -- West Bengal State Warehousing Corporation, Khadyashree Bhavan (1st. Floor), 11A, Mirza Ghalib Street,

Kolkata-700087.

(2)

14. Last date &time limit for submission of Tender.

11.11.2021up to 3.00 P.M. and the Tender will be opened on the same day

at 4.00 P.M.

15. Place where tenders are to be submitted

Office of the Superintending Engineer,

WBSWC.

16. Printed Schedule of Rates applicable for the work.

As per P.W.D (W.B) schedule of rates W.e.f 01.12.2015 with up to date addenda & corrigenda Printed price Schedule may be obtained through

Website: www.pwdwb.in

17. With whom the acceptance of the Tenders vest.

Managing Director, WBSWC.

THE APPLICANTS ARE REQUESTED TO ATTEND THIS OFFICE DURING SUBMISSION OF APPLICATION FOR VERIFICATION OF SIGNATURE.

Tender documents, specific price schedule of items for the works and other relevant particulars may be seen by the intending tenderers in the office of the Executive Engineer, WBSWC, on all working days between 11.00 A.M to 4.00 P.M &through website: www.warehousingwb.com.

Intending tenderers are required to produce <u>PANCard</u>, <u>Trade Licence</u>, <u>P. Tax Deposit Challan</u>, <u>P. Tax Clearance Certificate & GST registration certificate all in original along with one set of self-attested Xerox copies</u> to the Executive Engineer at the time of application for being entitled to submit tender papers. It may be emphasized that WITHOUT THE ABOVE DOCUMENTS IN ORIGINAL THE APPLICATION MAY BE CANCELLED.

The contractor will have to arrange all tools and plants and construction materials required for the work.

Earnest money in the form of eligible instruments as per rule duly pledged in the shape of Demand Draft in favour of "West Bengal State Warehousing Corporation" payable at Kolkata must be deposited along with the tender. VIIIth. Issue of NSC cannot be pledged as Earnest Money as per postal rule.

If the dates fall on holidays or on days of bandh or natural calamity, the dates defer to next working days. Executive Engineer, WBSWC reserves the right to refuse permission any serial or total serial of any applicant without assigning any reason whatsoever and no challenge against such refusal will be entertained.

All tenderers are requested to be present personally during the opening of the tender positively. If considered necessary, instant bid may be conducted immediately after opening of the tender to lower down the rates and in no case his/their absence will stand against holding the same.

In case of inadvertent typographical mistake found in the specific price schedule of rates, the same will be treated to be so corrected as to conform with the prevailing relevant schedule of rates and/or technically sanctioned estimate.

The intending tenderer is required to quote the rate in figures as well as in words in his own handwriting and in same ink as percentage above/below or at par than the relevant price schedule of rates. The intending tenderer is required to sign in English, Bengali or Hindi. Signature of tenderer in all location must be identical.

Conditional tender will not be entertained.

The accepting authority reserves the right to reject any or all the tenders without assigning any reason and he will not be bound to accept either the lowest tender or any of the tenders.

IN CASE OF AFTER GETTING PERMISSION FOR A PARTICULAR NIT/NIQ WHO WILL NOT PARTICIPATE IN THE TENDER WITHOUT ANY VALID GROUND WOULD NOT BE ALLOWED FOR 3 (THREE) SUCCESSIVE NIT/NIQ OF THIS OFFICE.

In terms of Finance Department's order no.853-F dated 01.02.2006, communicated under circular no.599A/4N-28/06 dated 27.09.2006 of the Account Branch, Public Works Department, Government of West Bengal, a cess of 1% of the cost of construction works etc. will be levied from the bills of all the works and the amount so collected will be remitted subsequently to the "West Bengal Building & other construction workers Welfare Board" such levying of cess @1% for the same purpose will be effective from 01.11.2006.

Superintending Engineer
WEST BENGAL STATE WAREHOUSING CORPORATION

Dated: 26.10.2021

Memo No. 280/Engg/SWC/2021-22/1(5),

Copy forwarded for information and wide circulation through Notice Board to:

1. The Managing Director, WBSWC.

- 2. The Deputy Secretary(Advertisement), F&S Dept. For information & wide circulation.
- 3. The Chief Engineer, WBSWC.
- 4. The Deputy Director, Food, WBSWC.

5. This Office NOTICE BOARD.

Superintending Engineer
WEST BENGAL STATE WAREHOUSING CORPORATION

Annexure of NIT No. 29 of 2021-22of SE,WBSWC Name of work: Arrangement for a door in the chamber of room no.409 of Khadyashree Bhaban to have access to the adjacent toilet at 4th floor.

SI.	ITEMS	Estimated	Earnest	Price of	Price per	Time of	Defect	Rate to be quoted in
No.	OF	amount put to	money (Rs)	each W.B.	copy of	completion	Liability	%both in Fig. and words
	WORK	tender	-	Form no.	other		Period	
	,	(Rs)	-	2911(ii)	document			, , , , , , , , , , , , , , , , , , , ,
				(Rs)	(Rs)			
1	As per	33,383/-	668/-	5/-	250/-	7 days	3 (Three)	
	BOQ	(Rupees Thirty	(RupeesSix	Applicable	Applicable		Months.	
		Three	HundredSixty	for lowest	for lowest		Full security	
		Thousand	Eight only)	tenderer	tenderer	-0	deposit shall	
		Three Hundred			=		be refunded	7.0
	1	Eighty Three			12 2 3	* " y	to the	
		only)				85	contractor	
						# ^	on expiry of	
		· ·		<			3(three)	# 50 g
		81 20 20 20 20 20 20 20 20 20 20 20 20 20		15 ps	n, 11 6	¥	months	
		-	*	1 × 2		8	from the	8 N
						± #	actual date	g gr is
- 6				×	e		_	. **
		st *		. 18	21 4		of	
	ν,	, A				19	completion	8
					0.00		of the work.	

Superintending Engineer
WEST BENGAL STATE WAREHOUSING CORPORATION

Percentage BOQ

Tender Inviting Authority: West Bengal Sate Warehousing Corporation.

Name of Work: Arrangement for a door in the chamber of room no.409 of Khadyashree Bhaban to have access to the adjacent toilet at 4th floor.

NIT No: 29 OF 2020-21 OF SUPERINTENDING ENGINEER, WBSWC

	NIT No: 29 OF 2020-21 OF SUPERINTENDIN	G ENG	INEEK,	MRSMC	41
SI No	Description of Item	Unit	Qty (Cum)	Rate Including 12% GST& 1% CESS	Amount (Rs.)
1	Taking out existing partition/ceiling of particle board, masonite board, ply board, soft board etc. of any thickness and refixing same in new position with necessary clamps making holes in walls, floor, roof and mending damages if any.[concrete plaster will be paid separately]	Sqm	2.10	62.22	131.00
2	Dismantling all types of masonry excepting cement concrete plain or reinforced, stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m. b) Extra rate for each addl. Floor over the rate of ground floor 4th floor	Sqm	0.53	675.33	355.00
3	Taking out Mirzapur or glazed porcelain tiles carefully by chiselling from walls or floor including stacking serviceable material as directed	Sqm	2.10	62.22	131.00
4	Wood work in door and window frame fitted and fixed in position complete including a protective coat of painting at the contact surface of the frame exluding cost of concrete, Iron Butt Hinges and M.S clamps. (The quantum should be correted upto three decimals). (d) Sal: Local. Note: Extra for Lifting Charges for each additional floor, i) Rs. 200/- per Cu.m (upto 4th floor)	Cum	0.05	88087.68	4,360.00
5	Closing gap between door and window frame and jambs with cement mortar (1:3) including removing old mortar (throughout entire surface of contact) and cleaning the joint. (Cement 0.012 Cu.m/100 Mtr.)	Metre	4.95	1246.58	6,171.00
6	Supplying solid flush type doors of deluxe decorative (both side) quality, conforming to I:S 2202 timber frame consisting of top and bottom rail and side styles of well seasoned timber 65mm wide each and the entire frame fitted with 27.5mm wide battens places both ways in order to made the door of solid core and internal lipping with teak, mahogony or rose wood approved decorative veneers using phenol formaldehyde as glue etc. complete, including fitting, fixing the shutters in position but excluding the cost of hinges and other fittings in ground floor: (a) 35mm thick shutters (single leaf)	Sqm	1.79	4489.73	8,014.00

9					
7	Supplying, fitting and fixing M.S. clamps for door and window frame made of flat bent bar, end bifurcated with necessary screws etc. by cement concrete(1:2:4) as per direction. (Cost of concrete will be paid separately) (b) 40mm X 6mm, 200mm Length	Each	4.00	28.28	113.00
8	Iron butt hinges of approved quality fitted and fixed with steel screws, with ISI mark. (iv) 75mm. X 47mm. X 1.70mm.	Each	6.00	35.07	210.00
9	i) Iron hasp bolt of approved quality fitted and fixed complete (oxidised) with 16mm dia rod with centre bolt and round fitting. (a) 200mm long	Each	1.00	151.58	152.00
10	(b) Supplying 'Godrej' mortice lock chromium plated with keys 6 levers including fitting & fixing complete.	Each	1.00	2210.36	2,210.00
11	ii) Godrej Hydraulic door closer fitted and fixed complete. (a) Heavy type	Each	1.00	2334.80	2,335.00
12	Anodised aliminium D-type handle of approved quality manufactured from extruded section conforming to I.S. specification (I.S. 230/72) fitted and fixed complete: (a) With continuous plate base (Hexagonal/ Round rod) (iv) 125 mm grip x 10 mm dia rod.	Each	2.00	107.46	215.00
13	Anodised aluminium barrel / tower / socket bolt (full covered) of approved manufactured from extruded section conforming to I.S. 204/74 fitted and fixed with cadmium plated screws:(iv) 150mm long x 10mm dia. bolt.	Each	1.00	71.27	71.00
	Supplying, fitting and fixing boiling water resistant ply conforming to				
	IS: 303- 1989 bonded with phenol formaldehyde synthetic resin of approved make and brand fitted and fixed as per design as per approval and direction of Engineer-in- Charge.[excluding the cost of supporting frame work and teak wood batten/Lipping] (iii) 9mm		2.99	1178.71	3,524.00
15	Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. (A) Floor (a) Area of each tile upto 0.09 Sq.m (i) Coloured decorative	Sqm	0.19	843.88	158.00

Supplying, fitting & fixing 1st quality Ceramic tiles in walls and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. (B) Wall (a) Area of each tile upto 0.09 Sq.m (i) Coloured decorative	Sqm	0.86	847.27	724.00
Supplying fitting, fixing decorative lamination conforming to IS: 2046: 1995 as per approved make, brand, finish and thickness with fitting, fixing the same on Particle/MDF / Ply Boards with recommended / approved adhesive with proper clipping the sides for better attachment as per direction of Engineer-incharge. The rate includes the cost of labour, adhesive and all incidental charges thereof. In ground floor Glossy/Matt/Suede excluding surface texture or metallic lustre. (i) Thickness of laminate 1.5mm Frame, Door		4.97	907.22	4,509.00
·		TOTAL		
Quoted Rate in Figures				
Quoted Rate in Words				
	and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. (B) Wall (a) Area of each tile upto 0.09 Sq.m (i) Coloured decorative Supplying fitting, fixing decorative lamination conforming to IS: 2046: 1995 as per approved make, brand, finish and thickness with fitting, fixing the same on Particle/MDF / Ply Boards with recommended / approved adhesive with proper clipping the sides for better attachment as per direction of Engineer-incharge. The rate includes the cost of labour, adhesive and all incidental charges thereof. In ground floor Glossy/Matt/Suede excluding surface texture or metallic lustre. (i) Thickness of laminate 1.5mm Frame, Door Quoted Rate in Figures	and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. (B) Wall (a) Area of each tile upto 0.09 Sq.m (i) Coloured decorative Supplying fitting, fixing decorative lamination conforming to IS: 2046: 1995 as per approved make, brand, finish and thickness with fitting, fixing the same on Particle/MDF / Ply Boards with recommended / approved adhesive with proper clipping the sides for better attachment as per direction of Engineer-incharge. The rate includes the cost of labour, adhesive and all incidental charges thereof. In ground floor Glossy/Matt/Suede excluding surface texture or metallic lustre. (i) Thickness of laminate 1.5mm Frame, Door Quoted Rate in Figures	and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. (B) Wall (a) Area of each tile upto 0.09 Sq.m (i) Coloured decorative Supplying fitting, fixing decorative lamination conforming to IS: 2046: 1995 as per approved make, brand, finish and thickness with fitting, fixing the same on Particle/MDF / Ply Boards with recommended / approved adhesive with proper clipping the sides for better attachment as per direction of Engineer-incharge. The rate includes the cost of labour, adhesive and all incidental charges thereof. In ground floor Glossy/Matt/Suede excluding surface texture or metallic lustre. (i) Thickness of laminate 1.5mm Frame, Door TOTA Quoted Rate in Figures	and floors to match with the existing work & 4 nos. of key stones (10mm) fixed with araldite at the back of each tile & finishing the joints with white cement mixed with colouring oxide if required to match the colour of tiles including roughening of concrete surface, if necessary or by synthetic adhesive & grout materials etc. (B) Wall (a) Area of each tile upto 0.09 Sq.m (i) Coloured decorative Supplying fitting, fixing decorative lamination conforming to IS: 2046 : 1995 as per approved make, brand, finish and thickness with fitting, fixing the same on Particle/MDF / Ply Boards with recommended / approved adhesive with proper clipping the sides for better attachment as per direction of Engineer-incharge. The rate includes the cost of labour, adhesive and all incidental charges thereof. In ground floor Glossy/Matt/Suede excluding surface texture or metallic lustre. (i) Thickness of laminate 1.5mm Frame, Door TOTAL Quoted Rate in Figures

W B. State Warehousing Corporation
11A, Mirza Ghalib Street, Khadya Bhaban
Kolkata - 700 087