

# West Bengal State Warehousing Corporation

(A Government Undertaking)  
KHADYASHREE BHAVAN (1<sup>ST</sup>. Floor)  
11A, MIRZA GHALIB STREET,  
KOLKATA-700087.  
e- mail : ce-swc@wb.gov.in

Memo No. 192/Engg/SWC/2024-2025

Dated: 03.07.2024

**NOTICE INVITING TENDER No. 17 of 2024-25 of SE,WBSWC**  
**Administrative Approval no. 636/CE/SWC/14/2016, dt. 27.06.2024**

Sealed Tenders in printed Tender Forms as specified below are invited as per particulars given below and will be received by the Superintending Engineer, WBSWC, on the date and up to the time specified therein and shall be opened soon thereafter in presence of such tenderers who may choose to be present.

1. Name of the work : Repairing of Boundary Wall at Tarakeswar Warehouse.
2. Name & address of the Officer concerned : Superintending Engineer, West Bengal State Warehousing Corporation
3. Contractors eligible to submit tender : PAN Card , Trade Licence, P. Tax Deposit Challan, P. Tax Clearance Certificate, GST registration Certificate & IT return for the current year, all in Original along with one set of self-attested Xerox copies.
4. Estimated value of the work put to tender : Rs.95,328/-
5. Time of completion for the work : 15 (Fifteen) Days.
6. Earnest money : Rs. 1,907/-
7. Security Deposit : 1 (One) year
8. Printed W. B. Tender Form in which tender is to be submitted. : W.B. Form No.2911(ii) incl. up-to date Corrigenda & addenda thereof as per Order of Govt.
9. Price per copy of the specified W.B. Tender : Rs.250/-
10. Price per copy of the set of other tender Documents : Rs.5/-
11. Last date & time for submission of application form : 12.07.2024 up to 2.00 P.M.
12. Last date &time limit for permission : 15.07.2024 up to 2.00 P.M.
13. Blank tender forms may be obtained : From this office -- West Bengal State Warehousing Corporation, Khadyashree Bhavan (1<sup>st</sup>. Floor), 11A, Mirza Ghalib Street, Kolkata-700087.

(2)

14. Last date & time limit for submission of Tender. : 18.07.2024 up to 3.00 P.M. and the Tender will be opened on the same day at 4.00 P.M.
15. Place where tenders are to be submitted : Tender box kept in the office of the Superintending Engineer, WBSWC
16. Printed Schedule of Rates applicable for the work. : As per P.W.D (W.B) schedule of rates W.e.f 01.12.2015 with up to date addenda & corrigenda Printed price Schedule may be obtained through Website: [www.pwdwb.in](http://www.pwdwb.in)
17. With whom the acceptance of the Tenders vest. : Tender Committee, WBSWC.

Tender documents, specific price schedule of items for the works and other relevant particulars may be seen by the intending tenderers in the office of the Executive Engineer, WBSWC, on all working days between 11.00 A.M to 4.00 P.M & through website : [www.warehousingwb.com](http://www.warehousingwb.com).

Intending tenderers are required to produce **PAN Card , Trade Licence, P. Tax Deposit Challan, P. Tax Clearance Certificate, GST registration certificate & IT return for the current year, all in original along with one set of self-attested Xerox copies** to the Superintending Engineer at the time of application for being entitled to submit tender papers. It may be emphasized that WITHOUT THE ABOVE DOCUMENTS IN ORIGINAL THE APPLICATION MAY BE CANCELLED.

The contractor will have to arrange all tools and plants and construction materials required for the work.

Earnest money in the shape of Demand Draft in favour of "**West Bengal State Warehousing Corporation**" payable at **Kolkata** must be deposited along with the tender.

If the dates fall on holidays or on days of bandh or natural calamity, the dates defer to next working days. Superintending Engineer, WBSWC reserves the right to refuse any applicant without assigning any reason whatsoever and no challenge against such refusal will be entertained.

All tenderers are requested to be present personally during the opening of the tender positively. If considered necessary, instant bid may be conducted immediately after opening of the tender to lower down the rates and in no case his/their absence will stand against holding the same.

....CONTD/3

(3)

In case of inadvertent typographical mistake found in the specific price schedule of rates, the same will be treated to be so corrected as to conform with the prevailing relevant schedule of rates and/or technically sanctioned estimate.

The intending tenderer is required to quote the rate in figures as well as in words in his own handwriting and in same ink as percentage above/below or at par than the relevant price schedule of rates. The intending tenderer is required to sign in English, Bengali or Hindi. Signature of tenderer in all location must be identical.

Conditional tender will not be entertained.

The accepting authority reserves the right to reject any or all the tenders without assigning any reason and he will not be bound to accept either the lowest tender or any of the tenders.

**IN CASE OF AFTER GETTING PERMISSION FOR A PARTICULAR NIT WHO WILL NOT PARTICIPATE IN THE TENDER WITHOUT ANY VALID GROUND WOULD NOT BE ALLOWED FOR 3 (THREE) SUCCESSIVE NIT/NIQ OF THIS OFFICE.**

In terms of Finance Department's order no.853-F dated 01.02.2006, communicated under circular no.599A/4N-28/06 dated 27.09.2006 of the Account Branch, Public Works Department, Government of West Bengal, a cess of 1% of the cost of construction works etc. will be levied from the bills of all the works and the amount so collected will be remitted subsequently to the "West Bengal Building & other construction workers Welfare Board" such levying of cess @1% for the same purpose will be effective from 01.11.2006 and GST will be deducted as per latest rule.



Superintending Engineer  
WEST BENGAL STATE WAREHOUSING CORPORATION

Memo No.192/Engg/SWC/2024-25/1(4), Dated: 03.07.2024

Copy forwarded for information and wide circulation through Notice Board to:

1. The Managing Director, WBSWC.
2. The Deputy Secretary(Advertisement), F&S Dept. For information & wide circulation.
3. The Chief Engineer, WBSWC.
4. The Deputy Director, Food, WBSWC.
5. This Office NOTICE BOARD.



Superintending Engineer  
WEST BENGAL STATE WAREHOUSING CORPORATION

....CONTD/4

Annexure of NIT No. 17 of 2024-25 of SE,WBSWC

Name of work: Painting & Railing of Weigh Bridge Load Cell at Tarakeswar Warehouse.

Sl. No.	ITEMS OF WORK	Estimated amount put to tender (Rs)	Earnest money (Rs) to be deposited with tender	Price of Formal Tender paper for L1 Bidder (Rs)	Time of completion	Rate to be quoted in % both in Fig. and words
1	As per BOQ	95,328/- (Rupees Ninety Five Thousand Three Hundred Twenty Eight only)	1,907/- (Rupees One Thousand Nine Hundred Seven only)	255/- x 2 = 510/- In the form of Bank Draft	15 days	

Superintending Engineer  
WEST BENGAL STATE WAREHOUSING CORPORATION



**BOQ**

**Tender Inviting Authority: West Bengal Sate Warehousing Corporation.**

**Name of Work : Repairing of Boundary Wall at Tarakeswar Warehouse.**

**NIT No: 17 OF 2024-25 OF SUPERINTENDING ENGINEER, WBSWC**

Sl. No	Description of Items	UNIT	Quantity	Rate with 18% GST + 1% Cess	Amount (Rs.)
1	Dismantling all types of masonry excepting cement concrete plain or reinforced, stacking serviceable materials at site and removing rubbish as directed within a lead of 75 m. a) In ground floor including roof. <b>(Boundary wall)</b> above GL	Cum	0.88	532.73	469.00
2	Earth work in excavation of foundation trenches or drains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing, spreading or stacking the spoils within a lead of 75 m. as directed. The item includes necessary trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water as required complete. (a) Depth of excavation not exceeding 1,500 mm. <b>(For Column Foundation)</b>	Cum	1.12	142.15	159.00
3	Supplying and laying Polythene Sheet (150gm / sq.m.) over damp proof course or below flooring or roof terracing or in foundation or in foundation trenches. For Colum	Sqm	2.80	28.60	80.00
4	(i) Cement concrete with graded stone ballast ( 40mm size excluding shuttering ) In ground floor (A) [pakur variety] (a) 1:3:6 <b>(For Column Foundation)</b>	Cum	0.28	5854.12	1639.00
5	Earth work in filling in foundation trenches or plinth with good earth, in layers not exceeding 150 mm. including watering and ramming etc. layer by layer complete. (Payment to be made on the basis of measurement of finished quantity of work) (a) With earth obtained from excavation of foundation.	Cum	0.21	92.41	19.00
6	Brick work with 1st class bricks in cement mortar (1:6) (a) In foundation and plinth	Cum	0.63	6307.01	3973.00
7	125 mm. thick brick work with 1st class bricks in cement mortar (1:4) in ground floor.	Sqm	7.00	860.48	6023.00
8	Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor). [Excluding cost of chipping over concrete surface] (i) With 1:6 cement mortar (c) 15 mm thick plaster	Sqm	17.36	171.62	2979.00
9	Applying Exterior grade Acrylic primer of approved quality and brand on plastered or concrete surface old or new surface to receive decorative textured (matt finish) or smooth finish acrylic exterior emulsion paint including scraping and preparing the surface throughly, complete as per manufacturer's specification and as per direction of the EIC. In Ground Floor (b) Two Coats	Sqm	17.36	53.75	933.00
10	Protective and Decorative Acrylic exterior emulsion paint of approved quality, as per manufacturer's specification and as per direction of Engineer-in-Charge to be applied over acrylic primer as required. The rate includes cost of material, labour, scaffolding and all incidental charges but excluding the cost of primer. In Ground floor (Two Coat) a) Normal Acrylic Emulsion	Sqm	17.36	79.85	1386.00
11	Removal of rubbish, earth etc. from the working site and disposal of the same beyond the compound, in conformity with the Municipal / Corporation Rules for such disposal, loading into truck and cleaning the site in all respect as per direction of Engineer in charge	Cum	0.88	345.62	304.00

12	M.S. structural works in columns, beams etc. with simple rolled structural members (e.g. joists, angle, channel sections conforming to IS: 226, IS: 808 & SP (6)- 1964 connected to one another with bracket, gussets, cleats as per design, direction of Engineer-in- charge complete including cutting to requisite shape and length, fabrication with necessary bolting, metal arc welding conforming to IS: 816- 1969 & IS: 1995 using electrodes of approved make and brand conforming to IS:814- 2004, haulage, hoisting and erection all complete. The rate includes the cost of rolled steel section, consumables such as electrodes, gas and hire charge of all tools and plants and labour required for the work including all incidental chages such as electricity charges, labour insurance charges etc. Payment to be made on the basis of calculated weight of structural members only in finished work as per IS specified weight. Payment for gusset, bracket, cleat, rivets, bolts and nuts may be make by adding the actual weight of such items with the weight of finished structural members or 7% of weight for finished structural members weighing not less than 22.5 Kg. / m. or 15 % of weight for finished strctural members weighing less than 22.5 Kg. / m. may be increased allow for bracket, cleat, rivet, bolts and nuts etc. and no seperate payment being made for these items, as per direction of Engineer In Charge. The rates are considered for a height of erection 8m. / 2nd floor level from the ground. Add 1.5% extra over the rate for each additional floor or 4m. beyond initial 8m. or part thereof. I) For structural members of specified sections weighing less than 22.5 Kg./m . ISMC- 150 = 16.4 Kg/m. Equal Angle (75 x 75 x 6) = 6.8Kg/m	MT	0.394	86528.26	34092.00
13	Supplying, fitting and fixing Stainless Steel railing consist of 38mm dia and 900mm height vertical balustrade at every two alternative steps, 50mm dia top rail, 3 (three) nos 19mm dia horizontal Strainless steel pipe and base/cover plate with Strainless Steel GRADE 304 containing 7.5% nickle (Interior Grade) Brushed/Mat finish, complete as per direction of the Engineer-in-charge. Weight of Strainless Steel railing per metre 6.5 Kg (approx)	Mtr	4.00	10817.97	43272.00
			<b>TOTAL</b>		<b>95,328.00</b>
Quoted Rate in Figures					
Quoted Rate in Words					



Superintending Engineer  
West Bengal State Warehousing Corporation